

NMR-01 NON-MAGNETIC AND NON-REFLECTIVE TRIPOD

The "non-magnetic and non-reflective" tripod NMR-01 allows to place antennas and measuring instruments in every environment with no problem of interference, reflection, magnetic attraction or humidity. The tripod is built with non-metallic material, in order to be usable in anechoic chambers and MRI. The NMR-01 is solid, suitable for all environments, extendable up to 2 m, lightweight and easy to carry. All these features make it a greatly innovative tripod for EMI-EMC, RF and EMF measurement. Compliant with the IEC 61786 directive, where it is required to perform EMF low frequency measurements not affected by humidity.

FIBERGLASS lighter but stronger than wood and not affected by humidity

100% METAL FREE

MRIs, anechoic chambers, industrial sites and outdoor

APPLICATIONS



NMR-01 is used to place antennas (log periodic, biconical, horn, rod) and measuring instruments (electromagnetic field meter, low frequency sensor, shielding effectiveness meter) in environments where metal is not allowed.

TECHNICAL SPECIFICATIONS

NMR-01	TRIPOD	

Max adjusteble height	2 m
Min adjusteble height	0,1 m
Max payload	30 Kg (with telescopic tube open) 50 Kg (with telescopic tube closed)
Operating temperature	da -10°C a 50°C
Dimensions	940 x 140 x 140 mm
Weight	2,8 Kg
Materials	FIBERGLASS tube
	PEEK bolts and nuts
	RUBBER feets
	DELRIN components
	non-metallic paint

Subjec to change without notice

AVAILABLE OPTIONS

Shoulder bag Block system for different types of antennas or meters Accessory for horizontal, vertical and cross polarization Set up for multiple measurement points Adapter for 1/4 inch standard Mod. NMR-BAG Mod. NMR-BLK Mod. NMR-ARJ Mod. NMR-EXT Mod. NMR-UNI

All possible configurations and options in the Accessories datasheet



MPB srl Headquarters - Place of Business Laboratory Via Giacomo Peroni, 400/402 00131 - Roma

www.gruppompb.uk.com www.gruppompb.com info@gruppompb.com



NMR 01.06

Telescopic support with locking, MPB block system, MPB hooking screw and 1/4 inch adapter



Telescopic legs with locking and non-slip feet